

## **Kurjatko, S., Kúdela, J. & Lagana, R. (eds.): Wood Structure and Properties '06.**

Arbora Publishers, Zvolen. 522 pp. ISBN 80-968869-4-3, price 55 Euro + mailing expenses (15 Euro – Europe, or 25 Euro – overseas).

Orders should be mailed to:

Arbora Publishers, spol. s r.o., P.O. Box 22, SK-96006 Zvolen 6, Slovakia,  
fax: +421-45-5350608, or e-mail: paule@vsld.tuzvo.sk, paule@stonline.sk.

Customers from the EU, please, give the VAT number of your organization.

### **CONTENTS**

COWN, D.: Wood quality in standing timber – evolution of assessment methods in plantations	11
<b>Biological control of wood Properties Wood structure and dendrology</b>	
ADAMOPOULOS, S.: Radial variation in fiber and vessel member dimensions as an indication of juvenile/mature wood transition in black locust	19
ANTONOVA, G. F. & CHAPLIGINA, I. A.: Secondary cell wall structure formation during development and lignification of early-and latewood in larch ( <i>Larix sibirica</i> Ldb.)	25
BIRBILIS, D. & VOULGARIDIS, E.: Investigation of ring shake in chestnut wood ( <i>Castanea sativa</i> Mill.).	33
FABISIAK, E., MOLÍŇSKI, W. & CISOWSKI, M.: Changes in the MFA at the tangential walls of tracheids in larch wood ( <i>Larix decidua</i> Mill.) versus the cambial age of annual rings	39
GRYC, V. & VAVRČÍK, H.: Effect of the position in a stem on the variability of tracheids in spruce with the occurrence the compression wood	43
HAPLA, F.: Use- and wood product-orientated investigation on <i>Abies grandis</i> of different growth dynamics – an experimental design	51
KOŇAS, P.: FE modelling of wood structure	53
KONOVALOVA, N. N., KONOVALOV, N. T., BAZHENOV, A. N., SHMITKO, I. M., STASOVA, V. V., VARAKSINA, T. N. & ANTONOVA, G. F.: The effects of supersonic treatment on the structure and components of oak wood	59
KRUTUL, D., DZBEŇSKI, W., MAKOWSKI, T. & ZAWADZKI, J.: Influence of environment pollution on the chemical composition of bark and wood of Scotch pine ( <i>Pinus sylvestris</i> L.)	67
KÜNNIGER, T., FISCHER, A., BORDEANU, N. C. & RICHTER, K.: Water soluble larch extractive: Impact on 1P-PUR wood bonds	71
KURODA, K., YAMASHITA, K., FUJIWARA, T. & HIRAKAWA, Y.: Water distribution in the xylem of <i>Cryptomeria japonica</i> associated with the difference in heartwood moisture content	77

KWON, S. M. & KIM, N. H.:	
Study of growth ring formation of major wood species growing in Chuncheon, Korea (I)	83
KWON, S. M. & KIM, N. H.:	
Microscopic and X-ray study of carbonization mechanism of wood	87
MAKOVICKÁ PAULÍNOVÁ, J. & ČUNDERLÍK, I.:	
Chosen physical properties of spruce juvenile wood ( <i>Picea abies</i> Karst.)	93
MARTIN, G., BECKER, G. & GRUSSENMEYER, H.:	
The suitability of <i>Abies grandis</i> (Grand fir) in SGW mechanical pulping operations for SC magazine paper grades	99
MERELA, M., SERŠA, I. & OVEN, P.:	
Research of anatomy and moisture distribution in beech and oak wood by 3D MR imaging technique	105
MIRIĆ, M. & POPOVIĆ, Z.:	
Structural damages to oak wood provoked by some <i>Stereales</i> – <i>Basidiomycetes</i> decaying fungi	111
NAIDOO, S., ZBOŇÁK, A. & AHMED, F.:	
The effect of moisture availability on wood density and vessel characteristics of <i>Eucalyptus grandis</i> in the warm temperate region of South Africa	117
NOVITSKAYA, L., NIKOLAEVA, N. & KUSHNIR, F. V.:	
Abnormal growth and development of woody plants as a result of a high sucrose level in the cambial zone	123
OVEN, P.:	
Origin and function of callus in wounded stems of Norway spruce	131
SARMULIS, Z., LIEPA, I., DRESKA, A. & LIPINS, L.:	
Relationships between round timber taper and factors affecting it	135
SOPUSHYNSKYI, I., VINTONIV, I., TEISCHINGER, A., SOPUSHYNSKA, M. & MAYEVSKYY, V.:	
Selection of maple “birdseye” ( <i>Acer pseudoplatanus</i> L.) in Ukrainian Carpathian mountains	139
STEELE, P., COOPER, J. & MITCHELL, B.:	
Identifying juvenile wood in green southern pine lumber with dielectric scanning	143
STÖD, R. & KILPELÄINEN, H.:	
Knot properties of Scots pine saw timber trees from thinning stands	149
TOMBAZIOTIS, M. & VOULGARIDIS, E.:	
The appearance of compression wood in hybrid fir trees ( <i>Abies borisii regis</i> Matff.) and its impact on the quality of sawn timber	155
VAVRČÍK, H., GRYC, V., RYBNÍČEK, M. & HORÁČEK, P.:	
Tracheid dimensions analysis of root xylem of Scots pine	163
WALISZEWSKA, B., ZBOROWSKA, M., PRĄDZYŃSKI, W. & KOMINEK, A.:	
Chemical composition and gross calorific value of selected <i>Salix</i> hybrids	167
WALISZEWSKA, B., ZBOROWSKA, M., PRĄDZYŃSKI, W. & ROBASZYŃSKA, M.:	
Chemical composition of selected species of exotic trees	171
ZBOŇÁK, A. & BUSH, T.:	
Application of near-infrared spectroscopy in prediction microfibril angle of an 14-year-old <i>Pinus patula</i>	175
ZHANG, CH., YANG, D. Q., FUJITA, M., WAN, H., ABE, H. & FUJIWARA, T.:	
Microscopic observation of resin penetration in aspen	181
<b>Fundamental knowledge and variation of wood properties</b>	
<b>Evaluation of wood quality and its influence on final products</b>	
BLASKOVA, G., NIEMZ, P. & NENKOVA, S.:	
Investigation on the wood of a dug-out, exhibited at the national museum of history in Sofia	185
BODNÁR F.:	
Solution of stresses around holes in a wooden plate under inplane loading	189

CĪRULE, D., LAGAÑA, R., HROLS, J. & DOLACIS, J.: Change in some mechanical properties along the stem and effect of scale factor of Norway spruce ( <i>Picea abies</i> Karst.)	195
DANANAJOVÁ, J. & KURJATKO, S.: Permeability of elm wood attacked by Dutch elm disease to water	199
DE PALACIOS, P., ESTEBAN, L. G., FERNÁNDEZ, F. G. & GUINDEO, A.: Determination of the bending and compression strength of Spanish fir wood	203
DIANIŠKOVÁ, M., BABIAK, M. & LAGAÑA, R.: The inherent moisture interaction between spruce timber and concrete	207
DUBOVSKÝ, J. & HRUBÝ, J.: Stress–strain diagrams and selected mechanical characteristics of elm and ash wood at compression loading in longitudinal direction	211
ERIKSSON, D., LINDBERG, H. & BERGSTEN, U.: Prediction of mechanical properties of <i>Pinus sylvestris</i> wood from wood structure characteristics	217
GORIŠEK, Ž. & STRAŽE, A.: Sorption and swelling characteristics of normal and tension beech wood ( <i>Fagus sylvatica</i> L.)	227
GREKIN, M.: Wood colour in sapwood and heartwood of Nordic Scots pine and the changes under UV radiation	233
HASAN, M., DESPOT, R., RAPP, A. O., BRISCHKE, CH. & WELZBACHER, CH.: Some physical and mechanical properties of wood sterilised by gamma radiation	239
HRČKA, R. & KURJATKO, S.: Thermal properties of elm wood ( <i>Ulmus carpinifolia</i> , Gled.)	245
JOHANSSON, D., SEHLSTEDT-PERSSON, M. & MORÉN, T.: Effect of heat treatment on capillary water absorption of heat-treated pine, spruce and birch	251
JUNKKONEN, R. & HERÄJÄRVI, H.: Physical properties of European and hybrid aspen wood after three different drying treatments	257
KOZLOV, V. & KISTERNAYA, M.: Changes in Scots pine wood quality due to forest management on drained peatlands	265
KÚDELA, J. & LAUROVÁ, M.: Permanent changes in properties of ash wood exposed to hydrothermal plasticization at high temperature	271
KÚDELA, J. & MAMOŇOVÁ, M.: Tree-of-heaven wood ( <i>Ailanthus altissima</i> , Mill.) – structure and properties	275
KURJATKO, S., MAMOŇOVÁ, M., BABIAK, M. & HUDEC, J.: Permeability of ash and elm wood for water	281
LAGANA, R., DIZHBITE, T. & TELYSHEVA, G.: An influence of thermal treatment on surface properties of wood	289
LAZDIŅA, D. LAZDIŅŠ, A., MARTINSONE, K., KARIŅŠ, Z., KĀPOSTS, V., LIEPA, I., HROLS, J. & DOLACIS, J.: Suitability of Latvian willow species and willow clones selected in Sweden for the establishment of energy wood plantations in Latvia	293
LEHMANN, E. H., MANNES, D. & NIEMZ, P.: Neutron and X-ray imaging in wood research	299
MAKOVICKÁ PAULÍNYOVÁ, J., KOTLÍNOVÁ, M. & PIVOLUSKOVÁ, E.: Chosen physical and mechanical properties of poplar juvenile wood ( <i>Populus tremula</i> )	305
MIŠÍKOVÁ O.: The hardness and density of beech wood from necrotic wounds and the opposite wood	309
MOLNÁR-HAMVAS, L., CSONKA-RÁKOSA, R., BÖRCSÖK, E., MOLNÁR, J. & NÉMETH, K.: Colour and spectral changes of the wood surface due to ultra-violet light exposition and impregnation with	313

chromium	
OLEK, W. & BONARSKI, J.:	
Changes in wood ultrastructure caused by periodical sorption	321
OLEK, W., WERES, J. & GUZENDA, R.:	
Inverse method application for determining thermal properties of wood based panels	327
PERVAN, S., PREKRAT, S., GORIŠEK, Ž., STRAŽE, A. & HUMAR, M.:	
Effect of steaming on colour and chemistry of cherrywood ( <i>Prunus avium</i> L.)	331
PETROVICI, V., VARODI, A. M., PÎRNUȚĂ, O. A., COLCEA, G., CRĂCIUN, V., SCURTU, E. & BORZEA, I.:	
Research studies concerning the jellification and the gluing shearing strength of the furan resin mixed with furfuralic alcohol of the FC-2 URELIT type	337
PETROVICI, V., VASILE, E. M., PÎRNUȚĂ, O. A., COLCEA, G., CRĂCIUN, V., SCURTU, E. & BORZEA, I.:	
Research studies concerning the gluing shearing strength of some adhesive compositions based on urea-formaldehyde resin of the S URELIT type used for wood gluing	343
POPOVIĆ, Z., ŠOŠKIĆ, B. & MIRIĆ, M.:	
Effect of moisture and temperature on some mechanical properties of beechwood	349
POPPER, R., NIEMZ, P. & EBERLE, G.:	
Influence of extractives on water vapour sorption by the example of wood species from Chile	355
PŘEMYSLOVSKÁ, E.:	
Relation between geometry of fracture surface and impact work of wood based composites	361
PRIEDKALNS, G., PUŠINSKIS, V., DOLACIS, J. & HROLS, J.:	
Strength studies of sawn timber produced of Norway spruce ( <i>Picea abies</i> L. Karsten.) grown in Latvia	365
RAČKO, V. & ČUNDERLÍK, I.:	
Selected mechanical properties of „hazel wood“ in Norway spruce ( <i>Picea abies</i> L.)	369
SEHLSTEDT-PERSSON, M., JOHANSSON, D. & MORÉN, T.:	
Effect of heat treatment on the microstructure of pine, spruce and birch and the influence on capillary absorption	373
SOLÁR, R., KURJATKO, S., MAMOŇ, M., NEUSCHLOVÁ, E. & HUDEC, J.:	
Selected chemical and physical properties of beech wood degraded by wood destroying fungi. Part 1: Degradation by <i>Trametes versicolor</i>	381
SOLÁR, R., KURJATKO, S., MAMOŇ, M., NEUSCHLOVÁ, E. & HUDEC, J.:	
Selected chemical and physical properties of beech wood degraded by wood destroying fungi. Part 2: Degradation by <i>Coniophora puteana</i>	387
SONDEREGGER, W., NIEMZ, P., BADER, H. & WEBER, A.:	
Comparative study on the thermal conductivity of wood and wood-based materials	391
STINGL, R., OLTEAN, L., HUBER, H., TEISCHINGER, A. & HANSMANN, CH.:	
Thermal treatment of beech with red heartwood	395
STRAŽE, A. & GORIŠEK, Ž.:	
Drying characteristics of compression wood in Norway spruce ( <i>Picea abies</i> Karst.)	399
SUGIMOTO, H., MIKI, T., NORIMOTO, M. & KANAYAMA, K.:	
Dielectric relaxation of adsorbed water in wood, paper and charcoal	405
SZÁVA, J., PEREȚEANU, K. C. & HARANGUS, K.:	
A new testing device for time-dependent glue behaviour analysis by means of holographic interferometry	409
TEISCHINGER, A., BUKNOWITZ, CH. & MÜLLER, U.:	
Wood properties of old growth spruce and their technological potential	413
TIPPNER, J., KOŇAS, P. & DÁNIEL, V.:	
Influence of factors on dynamical behaviour of piano soundboard	417

UGOLEV, B. N.:	
Frozen strains of wood as natural intelligent material	423
USHAKOV, V., FILIPSONS, G. & SIDENKO, N.:	
Computer analysis of characteristic features of thermo – gas dynamic properties of friable wood particles in a pulsing flow of the agent of drying	427
ZBOROWSKA, M., BABIŃSKI, L., WALISZEWSKA, B. & PRADZYŃSKI, W.:	
Chemical characterisation of archaeological oak- and pinewood from Biskupin	431

#### **Behavior of wood in technological processes**

ANTTI, L. & HANSSON, L.:	
Microwave treatment of resinous wood	435
DAMERY, D. T. & CAMPBELL, S.:	
From trees to flooring: value-added processing from a non-industrial private forest improvement harvest	439
DEL MENEZZI, C. H. S.:	
Thermal treatment as a technique the performance of oriented strandboard for improving	445
DOLACIS, J., SVICHKAR, S., USHAKOV, V. & ENGELBREHT, A.:	
Intensification of drying of the loose wood layer by the pulsing gas stream in the filtration regime	451
GEJDOŠ, M., TEISCHINGER, A. & SUCHOMEL, J.:	
Comparison of roundwood sorting according to European standards and the national grading rules in Slovakia and Austria	455
MALAN, F. S.:	
Wood quality: A brief South African perspective	461
MIHALEVSCHI, D., BADESCU, L. A. M. & CERNICA, I. :	
Nanotechnologies in wood industry – perspectives	467
OHNESORGE, D., RICHTER, K. & SEELING, U.:	
Project “Innovation for beech” Gluability of beech wood containing red heartwood	471
RÉH, R.:	
Wood and veneer properties of a perspective species for Central European woodworking industry – Red oak ( <i>Quercus rubra</i> L.)	475
SERRANO, E., BLUMER, S., GUSTAFSSON, P. J. & NIEMZ, P.:	
Moisture induced stresses and deformations in parquet floorsan experimental and numerical study	481
SPULLE, U. & PUŠINSKIS, V.:	
Research of strength of euro pallets	485
TERZIEV, N. & JÄPPINEN, A.:	
Pre-manufacturing of studs for building	491
VÖTTER, D.:	
Eforwood forest to industry interactions – allocation and wood quality issues during harvesting and transport	495
ZEJDA, J.:	
Numerical simulation of time-temperature distribution during drying process	501

#### **Abstracts**

BECKER, B., KLÄDTKE, J. & BECKER, G.:	
Matchwood – From standing tree to the wood product	507
BEKHTA, P. & NIEMZ, P.:	
Effect of high temperature on the physical and mechanical properties of spruce wood	508
HORÁČEK, P.:	
A mechanical study of the root systems of Norway spruce ( <i>Picea abies</i> /L./ Karst.)	509
IEJAVS, J.:	510

Softwood lumber strength glued with higher moisture content	
KIM, N. H.:	
Radial Variation of rays of some major coniferous woods grown in Chuncheon, Korea	511
KITIN, P., TAKATA, K., UENO, Y. & TERAZAWA, M.:	
Development and structure of bark in the stem of <i>Betula sp.</i>	512
LAZDIŅA, D. & MIEZĪTE, O.:	
Wood properties comparison of willows from plantations and alders from native stands	513
LUDWICZAK-NIEWDOMSKA, L.:	
Determining of the elastic properties wood-based materials, such as oriented strand board (OSB), by means of a digital image analysis	514
MANSO MARTIN, M., NUTTO, L. & BECKER, G.:	
Behaviour of <i>Nothofagus betuloides</i> during kiln and vacuum drying	515
MAYEVSKYY, V., MAKSYMIV, V., SOPUSHYNSKYY, I. & TEISCHINGER, A.:	
The effect of a sawing angle on wood texture	516
MOLNAR, S., CSUPOR, K. & HORVATH, N.:	
The effect of thermal modification on the durability of wood against fungal decay	517
NEMETH, R., MOLNAR, S., ABRAHAM, J., KOMAN, S. & DÉNES, L.:	
Wood anatomy and mechanical characteristics of several fast growing robinia variety candidates grown on different sites	518
PÖCKL, J., GRABNER, M. & HANSMANN CH.:	
Discolouration of Black Alder – Effect of felling season and drying schedule	519
PRAUS, L., VAVRČÍK, H. & KOŇAS, P.:	
Wood properties of Black walnut ( <i>Juglans nigra</i> L.)	520
TOLVAJ, L., NÉMETH, R., BEIKIRCHER, W. & MOLNÁR, S.:	
Colour homogenisation of white and red heartwood of beech by steaming	521
ZEIDLER, A.:	
Wood properties of minor tree species in the Czech republic – Bird cherry and Black cherry	522